

AMENDMENTS TO THE CLAIMS:

The listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF THE CLAIMS

1. (Currently Amended) A method of topically treating efflorescence diseases of the skin and mucous membrane caused by herpes simplex virae, said method comprising the administration of a pharmaceutical preparation to the area to be treated for a patient in need thereof, wherein said preparation comprises ~~of the~~ alkali and/or alkaline earth salts of tosylchloramide.

Claims 2-5 (Cancelled)

6. (Currently Amended) The method of ~~Claim~~ claim 1, ~~characterized in that~~ wherein the diseases affect:

- a) the lid, conjunctiva or cornea of the eye;
- b) the exterior of the ear;
- c) the nasal cavity;
- d) the lips and mucous membranes of the mouth and/or the tongue;
- e) the vulva and/or vagina;
- f) the penis;
- g) the anus;
- h) the nail;
- i) the hair follicles and/or the sebaceous glands; and/or
- j) the hands and feet.

7. (Currently Amended) The method of ~~Claim~~ claim 1, wherein said tosylchloramide salt(s), are present in an employed base in an amount of approximately 0.1 to 20% by weight.

8. (Currently Amended) The method of ~~Claim~~ claim 1, wherein sodium tosylchloramide salt is employed.
9. (Currently Amended) The method of ~~Claim~~ claim 7, wherein said base constitutes comprises a liquid, semi-solid or solid, water-containing or water-free galenic preparation.
10. (Currently Amended) The method of ~~Claim~~ claim 9, wherein said base ~~constitutes~~ comprises an ointment, a gel, a cream, a paste, a suppository, ~~such as a vaginal suppository,~~ an adhesive bandage, a tablet, ~~such an effervescent or vaginal tablet, or a capsule,~~ a stick, a pulverized substance, a powder, a solution, an aerosol, a two-compartment system or a suspension, ~~such as a shake mixture/dry suspension.~~
11. (Currently Amended) The method of ~~Claim~~ claim 9, wherein said base ~~constitutes~~ comprises a dosed aerosol or a dosed solution.
12. (Currently Amended) The method of ~~Claim~~ claim 9, wherein said base ~~constitutes~~ comprises a bath water additive.
13. (Currently Amended) The method of ~~Claim~~ claim 9, wherein said base is an O/W- or a W/O-emulsion ointment.
14. (Currently Amended) The method of ~~Claim~~ claim 7, wherein said base is a cortisone-containing preparation.
15. (Currently Amended) The method of ~~Claim~~ claim 9, wherein said base is a gel comprising said tosylchloramide salt(s), in an amount of approximately 0.1 to 5% by weight.
16. (Currently Amended) The method of ~~Claim~~ claim 9, wherein a bath water additive is employed in form of pulverized substance or bath salt tablet or effervescent tablet,

which is applied in water in a concentration of approximately 0.1 to 1% by weight.

17. (Currently Amended) The method of ~~Claim~~ claim 1, wherein said tosylchloramide salt(s), are present in an employed base in an amount of approximately 5 to 15% by weight.

18. (Currently Amended) The method of ~~Claim~~ claim 1, wherein said tosylchloramide salt(s), are present in an employed base in an amount of approximately 8 to 12% by weight.

19. (Currently Amended) The method of ~~Claim~~ claim 9, wherein the base is a gel, in which are present said tosylchloramide salt(s), in an amount of approximately 0.1 to 2% by weight.

20. (Previously Presented) The method of claim 1, further comprising a treatment schedule including an application duration from about 2 to about 20 days and an application frequency from about 1 to about 4 times per day.

21. (Previously Presented) The method of claim 1, further comprising a treatment schedule including an application duration from about 2 to about 6 days and an application frequency from about 1 to about 3 times per day.

Claims 22. – 33 (Cancelled)

34. (Currently Amended) A method of topically treating efflorescence diseases of the skin and mucous membranes caused by the herpes simplex virae comprising:

application of a pharmaceutically prepared medicament, to the area to be treated for a patient in need thereof, having a salt of tosylchloramide selected from the group consisting of alkali salts, alkaline earth salts and mixtures thereof in an employed base

in an amount of approximately 0.1 to 20% by weight.

35. (Currently Amended) The method of claim 34, wherein said base ~~constitutes~~ comprises a liquid, semi-solid or solid, water-containing or water-free galenic preparation.

36. (Currently Amended) The method of claim 35, wherein said base ~~constitutes~~ comprises an ointment, a gel, a cream, a paste, a suppository, ~~such as a vaginal suppository,~~ an adhesive bandage, a tablet, ~~such an effervescent or vaginal tablet, or a capsule,~~ a stick, a pulverized substance, a powder, a solution, an aerosol, a two-compartment system or a suspension, ~~such as a shake mixture/dry suspension.~~

37. (Currently Amended) The method of claim 35, wherein said base ~~constitutes~~ comprises a dosed aerosol or a dosed solution.

38. (Currently Amended) The method of claim 35, wherein said base ~~constitutes~~ comprises a bath water additive.

39. (Previously Presented) The method of claim 35, wherein said base is an O/W- or a W/O-emulsion ointment.

40. (Previously Presented) The method of claim 34, wherein said base is a cortisone-containing preparation, containing said tosylchloramide salt(s), in an amount of approximately 0.1 to 20% by weight.

41. (Previously Presented) The method of claim 35, wherein said base is a gel comprising said tosylchloramide salt(s), in an amount of approximately 0.1 to 5% by weight.

42. (Previously Presented) The method of claim 35, wherein the bath water additive is employed in form of pulverized substance or bath salt tablet or effervescent

tablet, which is applied in water in a concentration of approximately 0.1 to 1% by weight.

43. (Previously Presented) The method of claim 34, wherein said tosylchloramide salt(s), are present in an employed base in an amount of approximately 5 to 15% by weight.

44. (Previously Presented) The method of claim 34, wherein said tosylchloramide salt(s), are present in an employed base in an amount of approximately 8 to 12% by weight.

45. (Previously Presented) The method of claim 35, wherein the base is a gel, in which are present said tosylchloramide salt(s), in an amount of approximately 0.1 to 2% by weight.

46. (Currently Amended) A method of topically treating efflorescence diseases of the skin and mucous membrane caused by herpes simplex virae, said method comprising:
applying a pharmaceutical preparation to the area to be treated, for a patient in need thereof, including alkali and/or alkaline earth salts of tosylchloramide, wherein said tosylchloramide salts are present in an employed base in an amount of approximately 0.1 to 20% by weight; and,

said applying of said preparation comprises a treatment schedule; and, including wherein said schedule comprises an application duration from about 2 to about 20 days and an application frequency from about 1 to about 4 times per day.

47. (Currently Amended) The method of claim 46, wherein the base ~~constitutes~~ comprises a liquid, semi-solid or solid, water-containing or water-free galenic preparation.

48. (New) The method of claim 10, wherein said suppository is a vaginal suppository.
49. (New) The method of claim 10, wherein said tablet is selected from the group consisting of an effervescent tablet, a vaginal tablet, and a capsule.
50. (New) The method of claim 10, wherein said suspension is a shake mixture/dry suspension.
51. (New) The method of claim 36, wherein said suppository is a vaginal suppository.
52. (New) The method of claim 36, wherein said tablet is selected from the group consisting of an effervescent tablet, a vaginal tablet, and a capsule.
53. (New) The method of claim 36, wherein said suspension is a shake mixture/dry suspension.